

INDEX TO VOLUME XLVII.

- Abrostota urentis, 131.
 Acarina, imported into New Jersey in 1915, 328.
 Acronycta impressa, early stages of, 374.
 Aeshna umbrosa in Newfoundland, 386.
 Agaon nigriventris, n. sp., 44.
 Ageniella cupidella, n. sp., 400.
 " hestia, n. sp., 400.
 " tenella, n. sp., 400.
 Agrion interrogatum, rediscovery of, 174.
 Agromyza aristata, n. sp., 13.
 " infumata, n. sp., 15.
 " pruinosa, 15.
 Agrotis aurulenta, 28.
 " bollii, 33.
 AINSLIE, GEORGE G., article by, 85.
 Alaskophyto, n. gen., 285.
 Alberta Lepidoptera, 1, 33, 122.
 Aldrovandri's system of classification, 370.
 ALEXANDER, C. P., article by, 79.
 Amphitornus bicolor, 29.
 Anarta cocklei, 124.
 " impingens, 124.
 " richardsoni, 124.
 " secedens, 124.
 " staudingeri, 125.
 Anosia plexippus, migration of, 406.
 Antispila aurirubra, n. sp., 195.
 Ants as enemies of the fruit grower, 103.
 Apanteles michabo, early stages of, 271.
 " moierra, 283.
 Aphid, a new Florida, 85.
 Aphids, apple, 51.
 Aphis, Woolly, 102.
 Apis mellifica, 280.
 Apophthisis, n. gen., 190.
 " pullata, h. sp., 191.
 Apple curculio, 50.
 " leaf rollers, 53.
 " maggot, 52.
 Apples, deformed, and the causes, 49.
 Arabiopsis, n. gen., 285.
 " cocklei, n. sp., 286.
 Archips argyrospila, pupal instar of, 185.
 Arcofacies, n. gen., 319.
 " fullawayi, n. sp., 320.
 Argynnis cybele, 305.
 " idalia, 305.
 Aristotelia saicifungiella, 105.
 Aristotle's system of classification, 369.
 Army Worm, 347.
 Arsenates, spraying in orchards of Nova Scotia with, 137.
 Artopsis nua, 283.
 Asiracinae, key to genera of, 268.
 Aspidiotus perniciosus, 165.
 " tsugae, 313.
 Asteromyia sylvestris, n. sp., 228.
 Asteroscopus borealis, 127.
 Autographa brassicae, 130.
 " gamma californica, 71.
 " octoscripta, 130.
 " sansoni, 130.
 " selecta, 130.
 " v-alba, 131.
 BAKER, A. W., article by, 237.
 Bambucibatus, n. gen., 318.
 " albolineatus, n. sp., 319.
 BANKS, N., article by, 400.
 Barathra curialis, 123.
 BARNES, WM. and McDUNNOUGH, J., articles by, 20, 271, 282.
 Bembex pruinosa, 29.
 BERGROTH, E., article by, 215.
 BERRY, L., ROWLEY, R. R. and, articles by, 303, 332.
 BETHUNE, C. J. S., articles by, 30, 100, 310, 408.
 BEUTENMULLER, WM., article by, 353.
 Biosteres ragoletis, n. sp., 293, 294.
 " synonymy of, 295.
 BIRD, HENRY, articles by, 109, 145.
 Bitter pit disease, 53.
 Bombus flavifrons, 84.
 Bomolocha chicagonis, 132.
 BOOK REVIEWS:
 Australian Zoologist, The, 168.
 Brues and Melander's Key to families of N. American Insects, 235.
 Canadian Institute, General Index, 198.
 Fletcher's South Indian Insects, 67.
 Headlee's Mosquitoes of New Jersey, 407.
 Herrick's Insects injurious to the household, 100.
 Hewitt's House Fly, 197.
 Holland's Butterfly Guide, 309.
 Notman's Coleoptera Illustrata, 408.
 Packard's Monograph of Bombycine Moths, 168.
 Pierce's Genitalia of British Geometridae, 31.

INDEX TO VOLUME XLVII.

- Abrostota urentis, 131.
 Acarina, imported into New Jersey in 1915, 328.
 Acronycta impressa, early stages of, 374.
 Aeshna umbrosa in Newfoundland, 386.
 Agaon nigriventris, n. sp., 44.
 Ageniella cupidella, n. sp., 400.
 " hestia, n. sp., 400.
 " tenella, n. sp., 400.
 Agrion interrogatum, rediscovery of, 174.
 Agromyza aristata, n. sp., 13.
 " infumata, n. sp., 15.
 " pruinosa, 15.
 Agrotis aurulenta, 28.
 " bollii, 33.
 AINSLIE, GEORGE G., article by, 85.
 Alaskophyto, n. gen., 285.
 Alberta Lepidoptera, 1, 33, 122.
 Aldrovandri's system of classification, 370.
 ALEXANDER, C. P., article by, 79.
 Amphitornus bicolor, 29.
 Anarta cocklei, 124.
 " impingens, 124.
 " richardsoni, 124.
 " secedens, 124.
 " staudingeri, 125.
 Anosia plexippus, migration of, 406.
 Antispila aurirubra, n. sp., 195.
 Ants as enemies of the fruit grower, 103.
 Apanteles michabo, early stages of, 271.
 " moierra, 283.
 Aphid, a new Florida, 85.
 Aphids, apple, 51.
 Aphis, Woolly, 102.
 Apis mellifica, 280.
 Apophthisis, n. gen., 190.
 " pullata, h. sp., 191.
 Apple curculio, 50.
 " leaf rollers, 53.
 " maggot, 52.
 Apples, deformed, and the causes, 49.
 Arabiopsis, n. gen., 285.
 " cocklei, n. sp., 286.
 Archips argyrospila, pupal instar of, 185.
 Arcofacies, n. gen., 319.
 " fullawayi, n. sp., 320.
 Argynnis cybele, 305.
 " idalia, 305.
 Aristotelia salicifungella, 105.
 Aristotle's system of classification, 369.
 Army Worm, 347.
 Arsenates, spraying in orchards of Nova Scotia with, 137.
 Artopsis nua, 283.
 Asiracinae, key to genera of, 268.
 Aspidiotus perniciosus, 165.
 " tsugae, 313.
 Asteromyia sylvestris, n. sp., 228.
 Asteroscopus borealis, 127.
 Autographa brassicae, 130.
 " gamma californica, 71.
 " octoscripta, 130.
 " sansoni, 130.
 " selecta, 130.
 " v-alba, 131.
 BAKER, A. W., article by, 237.
 Bambucibatus, n. gen., 318.
 " albolineatus, n. sp., 319.
 BANKS, N., article by, 400.
 Barathra curialis, 123.
 BARNES, WM. and McDUNNOUGH, J., articles by, 20, 271, 282.
 Bembex pruinosa, 29.
 BERGROTH, E., article by, 215.
 BERRY, L., ROWLEY, R. R. and, articles by, 303, 332.
 BETHUNE, C. J. S., articles by, 30, 100, 310, 408.
 BEUTENMULLER, WM., article by, 353.
 Biosteres ragoletis, n. sp., 293, 294.
 " synonymy of, 295.
 BIRD, HENRY, articles by, 109, 145.
 Bitter pit disease, 53.
 Bombus flavifrons, 84.
 Bomolocha chicagonis, 132.
 BOOK REVIEWS:
 Australian Zoologist, The, 168.
 Brues and Melander's Key to families of N. American Insects, 235.
 Canadian Institute, General Index, 198.
 Fletcher's South Indian Insects, 67.
 Headlee's Mosquitoes of New Jersey, 407.
 Herrick's Insects injurious to the household, 100.
 Hewitt's House Fly, 197.
 Holland's Butterfly Guide, 309.
 Notman's Coleoptera Illustrata, 408.
 Packard's Monograph of Bombycine Moths, 168.
 Pierce's Genitalia of British Geometridae, 31.

BOOK REVIEWS:

- Riley and Johanness's Medical Entomology, 166.
 Somes' Acridiidae of Minnesota, 66.
 Stebbing's Indian Forest Insects, 310
 Tragardh's Forest Insects of Sweden, 199.
 Transactions of the London Natural History Society, 409.
 Winn and Beaulieu's Diptera of the Province of Quebec, 312.
Botanobia hinkleyi, n. sp., 12.
 BRAUN, ANNETTE F., article by, 104, 188.
 British Columbia, notes of economic interest from, 101.
 BRITTAIN, W. H., article by, 292.
 Bud-moth, injury in Nova Scotia by, 138.
 Bumble-bees, inquiline, in British Columbia, 84.
 Buprestidae, collected in Maine, 142.
 Cabbage worm, Imported, 101.
 Caddis-flies of Japan, 90.
 Caddis-fly larvæ, key to families of, 217
 CAESAR, L., article by, 49, 57, 345.
 Calamoceratidae, larval characters of, 220.
 Callimomidae from Queensland, 47.
 Callopietria floridensis, 22, 314.
 Calocampa thoracica, 126.
 Calpe canadensis, 130.
 Camnula pellucida, 341.
Camploptera gregi, n. sp., 65.
 Capsids on apple, 50.
Carolinaia cyperi, n. sp., 85
 Caterpillars as weather prophets, 40, 135.
 Catocala coccinata, early stages of, 336
 " lachrymosa, early stages of, 338.
 " pura, 132.
 Species taken at Louisiana, Mo., 303, 332.
 Catocalæ, the 1914 record of, 303.
 CAUPELL, A. N. article by,, 160.
 Ceratoma caminea, 69.
 Ceratonia amyntor, 304.
Cerceris carrizonensis, n. sp., 403.
 " dakotensis, n. sp., 402.
 " floridensis, n. sp., 403.
 " nigritulus, n. sp., 402.
 Chalcid, new seed, from spruce, 97.
 Chalcididae, from Queensland, 43.

- Chalcitelloides nigrithorax*, n. sp., 43.
Chironomus guatemallicus, n. sp., 316.
 Chirotenetes, 246, 247.
 Chloridea obsoleta, 280.
 Choreutis inflatella, 104.
 Chorizagrotis boretha, 35.
 Chorthippus curtippennis, 340.
 Cicindela 12-guttata, 27.
 " lecontei, 26.
 " lengi, 26.
 " lepida, 27.
 " limbata, 25.
 " manitoba, 27.
 " obliquata, 27.
 Circotettix verruculatus, 341.
 Cirrhobolina deducta, 131.
Cirrospilus ovisugosus, n. sp., 182.
 CLEMENS, W. A., article by, 245.
 Coccid, a new Monophlebina from the Philippines, 344.
 COCKERELL, T. D. A., articles by, 159, 280, 315, 344, 351.
 Codling Moth, 102, 348.
 " injury in Nova Scotia by, 140.
 Cœlioxys, table of Ontario species of, 205.
 Cœnagron interrogatum, 175.
 " table of N. American species, 180.
 Coleoptera, Collecting in Maine of, 141
 " imported into New Jersey in 1915, 327.
 " symmetry of, 89.
 Coloburus, 246.
 Conocephalus fasciatus, 344.
 Conochara acutus, 131.
 Copablepharon convexipennis, 28.
Corythophora, n. gen., 188.
 " aurea, n. sp., 189.
 COSENS, A., article by, 354.
 CRIDDLE, NORMAN, article by, 24.
 CROSBY, C. R., and MATHESON, R., article by, 181.
 Curculio, Apple, 50.
 " Plum, 49.
 Cutworms, poisoned bait for, 201.
 Cydia pomonella, 102.
Cystiæceles, n. gen., 194.
 " nimbosus, n. sp., 195.
 Damaster blaptoides, 22.
 Dasychira pudibunda, 314.
 DAVIDSON, W. M., article by, 134.
 Delphacidae, list of genera of, 261.

- Delphacidae, table of genera of, 268.
 " taxonomy of, 208, 261,
 296, 317.
 " three new genera of, 317.
 Delphacinae, key to genera of, 269.
 Delphacini, key to genera of, 296.
 Delphax, type of, 215.
 Diabrotica 12-punctata, 70.
Diastrophus fragariae, n. sp., 353.
 " gall of, 354.
Dicranomyia aquila, n. sp., 331.
 " *fullowayi*, n. sp., 79.
 " *zuttula*, n. sp., 80.
 DIETZ, W. G., article by, 329.
 Diptera imported into New Jersey in
 1915, 327.
 " North American, 12.
Disonychia quinquevittata, 27.
Dissosteira carolina, 341.
 DOD, F. H. WOLLEY, articles by, 1, 33,
 122.
Dohrniphora gaudialis, n. sp., 351.
Dryocates pseudotsugae, n. sp., 360.
 " *sechelli*, n. sp., 359.
Dysocnemis borealis, 128.
Dytiscus, Manitoba species of, 173.
- Elachista pralineata*, n. sp., 106.
 Elasmidae, from Queensland, 42.
Elasmus margiscutellum, n. sp., 42.
 " *orientalis*, n. sp., 43.
 Elateridae, injurious in B. C., 103.
 Eleodes, injurious species in B. C., 103.
 Entomological Society of America, 408
 Entomological Society of Ontario, 184.
 Entomological Society of Ontario, An-
 nual Meetings, 284, 377.
 Entomological Society of Ontario,
 Nova Scotia Branch, 292.
Epizeuxis amula, 132.
 " *lubricalis*, 132.
Eriosoma lanigera, 402.
Erotelepsiella, n. gen., 46.
 " bifasciata, n. sp., 46.
Eucactophagus graphipterus, 22.
Eucerceris apicala, n. sp., 404.
Eudeilinea herminiata, 134.
Eumerus strigatus, occurrence in Cali-
 fornia of, 134.
Euptoieta claudia, 305.
Eurydinotomorphia, n. gen., 45.
 " *pax*, n. sp., 45.
Eustrotia albidula, 131.
Euthyatira pudens, 132.
Euxoa colata, 42.
- Euxoa compressipennis*, 41.
 " *dolens*, 40.
 " *obeliscoides*, 41.
 " ochrogaster, poisoned bait for,
 201.
 " *rabiata*, 39.
 " *rufula*, 41.
 " *septentrionalis*, 40.
Evetrya buoliana, 313.
- FABRE, JEAN HENRI, obituary, 352,
 381.
 FELT, E. P., article by, 226.
Feltia volubilis, 37.
Feniseca tarquinius, 305.
 Field notes and questions, 22, 135, 165,
 308, 406.
 Foreign insects, establishment of, 313.
 FROST, C. A., article by, 141.
 Fruit-tree leaf-roller, pupal instar of,
 185.
 Fruit worm, green, 53.
 " " injury in Nova Scotia by,
 139.
 Fungus-gnat, a fossil, 159.
- Gall midges, new N. American, 226.
Gastroidea formosa, 25.
 Geolycosa, 30.
 Geometrid Notes, 9, 58, 64, 155.
 GERMAIN, BRO., article by, 309.
 GIBSON, A., article by, 377.
 Gipsy Moth, 314.
 GIRAULT, A. A., articles by, 17, 42, 65,
 233, 234.
Gluphisia severa, 133.
Glyphotælius admorsus, 90.
 " *miyakei*, n. sp., 91.
Gonatocerus competi, 20.
Goniocotes hologaster, 241.
Gonocausta sabinalis, 283.
Grammolaulius ornatus, n. sp., 92.
 Graphoderes, Manitoba species of, 173.
 Grasshoppers, 349.
Gryllotalpa gryllotalpa, 314.
Gryllus pennsylvanicus, 344.
 Guatemala, a new midge from, 315.
- Hadena violacea*, 1.
Haliphus, Manitoba species of, 172.
Helotropha reniformis, 2.
 HERRICK, G. W., and LEIBY, R. W.,
 article by, 185.

HEWITT, C. G., articles by, 73, 166,
199, 381, 396.
Hippiscus latifasciatus, 28.
" *neglectus*, 28.
Home's system of classification, 375.
Homohadena dinalda, 3.
" *fifia*, 3.
" *infixa*, 3.
Homoptera, imported into New Jersey
in 1915, 326.
HOOD, J. D., article by, 241.
Hoplandrothrips affinis, n. sp., 241.
Hormomyia fenestra, n. sp., 231.
House-fly, pupation and overwintering
of, 73.
Hydriomena barnesata, 11.
" *bistriolata*, 58.
" *chiricahuata*, 60.
" *costipunctata*, 10.
" *edenata*, 59.
" *grandis* var. *saanichata*, n.
var., 157.
" *regulata*, 59.
" revision of group with
long palpi, 9.
" *ruberata*, 60.
" *ruberata*, var. *glaucata*,
62.
" *ruberata*, var. *griscens*, 61.
" *ruberata*, var. *literata*, 61.
" *similaris*, 60.
" *speciosata*, 9.
" *speciosata*, var. *agassizii*,
10.
" *speciosata*, var. *ameliata*,
n. var. 64.
" *speciosata*, var. *taylori*, 10.
Hydræcia immanis, 111.
Hydrophilidae, Manitoba, 174.
Hydroporus vittatus, 172.
Hydropsychidae, larval characters of,
220.
Hydroptilidae, larval characters of, 218
Hylastes ruber, n. sp., 367.
Hymenoptera, chalcidoid, from Queens-
land, 17, 42.
" imported into New
Jersey in 1915.
" new fossorial, 400.
Hyppa brunneicrista, 1.
" *indistincta*, 1.

Ilybiosoma bifarius, 173.
Ilybius angustior, 172.
" *confusus*, 172.

Importance of observations on ap-
parently unimportant insects, 69.
Insect friends and foes of Agriculture,
345.
Insects, curious beliefs about, 277.
" relation to disease, 396.
" some old classifications of, 369.
Ipidæ, new species of, 355.
Ips knausi, n. sp., 355.
" *perroti*, n. sp., 357.
Ithytrichia confusa, life history of, 117.

JOHNSON, C. W., article by, 54.

Kalodiplosis, n. gen., 229.
" *floridana*, n. sp., 230.
" *multifida*, n. sp., 230.
Knabia, n. gen., 286.
" *hirsuta*, n. sp., 287.
KRAFKA, J., article by, 217.

Lamarck's system of classification, 373.
Lanaphora, n. gen., 317.
" *bakeri*, n. sp., 317.
Lathromerella fasciata, 17.
Lathromeroides fasciationeiris, n. sp., 17.
Latreille's system of classification, 373.
Leaf-bug, Four-lined, an insect enemy
of, 181.
Leaf-bugs on apple, 50.
Leaf-rollers, apple, 53.
LEIBY, R. W., HERRICK, G. W., and,
article by, 185.
Lepidoptera, imported into New Jersey
in 1915, 327.
" new genus and species of,
20.
" Notes on Alberta, 1, 33,
122.
" recently described N.
American, 282.
" symmetry of, 89.
Lepidosaphes ulmi, 165.
Leptoceridae, larval characters of, 221.
Lestremia floridana, n. sp., 226.
Leucocnemis, n. gen., 21.
" *barbara*, n. sp., 21.
Libnotes picta, n. sp., 81.
Liburnia, type of, 215.
Lice of domestic fowl, 237.
" control measures for, 238.
Limenitis astyanax, 333.

- Limnobia gracilis*, n. sp., 329.
 Limnophilidae, larval characters of, 222
 Limnophilidae of Japan, 90.
Limnophilus affinis, 94.
 " *amurensis*, 94.
 " *corruptus*, 93.
 " *fusconitatus*, 93.
 " *ornatus*, 95.
 Linnaeus' system of classification, 373.
Lipeurus variabilis, 240.
Llaveia sanguinea, n. sp., 344.
 LLOYD, J. T., article by, 117.
 Louise, common hen, 239.
 " lesser chicken, 241.
 " variable chicken, 240.
 LOVELL, J. H., article by, 115.
 Lycanids, cause of blue coloration of, 161.

 McDUNNOUGH, J., WM. BARNES and, articles by, 20, 271, 282.
Macrodactylus subspinosus, some tropic reactions of, 152.
 Magdalen Islands, Orthoptera from, 339.
Magdalis aeneascens, 103.
 Maine, collecting Coleoptera in, 141.
 MALLOCH, J. R., article by, 12.
Mamestra artesta, 122.
 " *carbonifera*, 122.
 " *chunca*, 122.
 " *lubens*, 122.
 " *plicata*, 122.
 " *pulverulenta*, 123.
 Manitoba water-beetles, 169.
 Mantis religiosa, occurrence in Canada of, 135.
Marmara apocynella, n. sp., 193.
 " *auratella*, n. sp., 192.
 MATHESON, ROBERT, CROSBY, C. R. and, article by, 181.
 Mayflies of Siphonurus group, 245.
Mecostethus gracilis, 341.
 " *lineatus*, 341.
Megastigmus laticis, 97.
 " *picea*, n. sp., 97.
Melanoplus angustipennis, 29.
 " *attanis*, 29, 343.
 " *bivittatus*, 343.
 " *extremus*, 339, 342.
 " *fasciatus*, 341.
 " *femur-rubrum*, 343.
 " *packardi*, 29.
 " *scudderi*, 29.
Melicleptria villosa, 129.

Menopon biseriatum, 240.
 " *pallidum*, 239.
Microcerata aldrichii, n. sp., 226.
 Midge, a new, from Guatemala, 315.
 Miscogasteridae, from Queensland, 46.
Misumena vatia, insects captured by, 115.
 Molannidae, larval characters of, 221.
Molophilus sirius, n. sp., 82.
Momaphana comstocki, 2.
Mongoma guamensis, 83.
Moropsyche parvula, 96.
 MORRIS, F. J. A., article by, 384.
 MUIR, F., articles by, 208, 261, 296, 317.
Musca domestica, pupation and overwintering of, 73.
 Muscoidea, new Canadian and Alaskan, 285.
Mycetophila bradenae, n. sp., 159.
Myelophilus piniperda, 313.
 Mymaridae, from Queensland, 18.
Myochrous denticollis, 69.
 NAKAHARA, WARO, article by, 90.

Nemotaulius brevilinea, 92.
Neobrachista novifasciata, n. sp., 18.
Neomegastigmus collaris, n. sp., 47.
 " *lividus*, 47.
 " *petiolatus*, n. sp., 47.
Nephrocerus daeckei, 55.
 " *scutellatus*, 55.
 " *slossona*, n. sp., 55.
 " table of species, 54.
 New Jersey, insect importations into, 136, 326.
 New Jersey captures, 22.
 New Jersey Coast, insect fauna of, 308.
 New Jersey nursery insects, 165.
Noctua acarne, 33.
 " *bairdii*, 35.
 " *vocalis*, 35.
Nothopsyche longicornis, n. sp., 95.
 " *pallipes*, 95.
 " *ruficollis*, 95.
 Notodontidae, Alberta, 132.
Nycterophaeta luna, 123.
Nyctius, species injuring sunflowers, 281.

Obrussa, n. gen., 196.
 " *ochrifasciella*, 196.
 Ochrilidea cinerea, 29.
 Odontoceridae, larval characters of, 221.
Oeneis jutta, 28.

- Okanagan*, n. gen., 289.
hirta, n. sp., 290.
Olene plagiata, 133.
Omophron americanum, 27.
Oncocnemis barnesii, 5.
 chandleri, 5.
 figurata, 5.
 glennyi, 5.
 levis, 5.
 regina, 4.
Orchestes scutellaris, 309.
 Orthoptera from Prince Edward Island
 and the Magdalen Islands, 339.
 Orthoptera, symmetry of, 89.
Orthosia inops, 128.
Otiorynchus, injurious species in
 B. C., 103.
Palthis angulalis, 132.
Paltodora similis, 282.
Panzeriopsis, n. gen., 290.
 curriei, n. sp., 291.
Papaipema furcata, life history of, 149.
 humuli, n. sp., 113.
 new species and life his-
 tories of, 109, 145.
 silphii, life history of, 110.
 speciosissima life history of,
 145.
Papilio philenor, 303.
 troilus, 303.
Perilampus hyalinus, 282.
Petrophora defensaria, var. *mephistaria*,
 n. var., 156.
Philanthus assimilis, n. sp., 404.
 subversus, n. sp., 405.
 vertilabris, var. *completus*,
 n. var., 406.
 Philippine Islands, a new coccid from,
 344.
 Philopotamidae, larval characters of,
 220.
Philotrypes longiventris, n. sp., 48.
Phlaosinus hoppingi, n. sp., 364.
 pini, n. sp., 362.
 utahensis, n. sp., 363.
 vandykei, n. sp., 366.
 Phoridae, new Californian species of,
 351.
 Phryganeidae, larval characters of, 222.
Phthiria sulphurea, 282.
Phycodes ismeria, 282.
Phyllophilopsis, new name, p. 78.
Phymata fasciata, 232.
Phytomyza aquifolii, 313.
Phytonomus quadricollis, 25.
Platagrotis gelida, 7.
 imperita, 7.
 speciosa, 6.
Pleroma conserta, 125.
 obliquata, 125.
Plum curculio, 49.
Plusia falcifera, 281.
 gamma californica, 280.
 orichalcea, 280.
Podisma frigida in Alaska, 160.
 glacialis glacialis, 341.
Poecilocapsus lineatus, an insect enemy
 of, 181.
 Poisoned bait for Cutworms, 201.
 Polycentropidae, larval characters of,
 220.
Polydotes tortulosus, 171.
Polynema speciosissimum, n. sp., 19.
 zalai, n. sp., 18.
Pontia rapae, 101.
 Popular and Economic Entomology,
 24, 49, 69, 101, 137, 169, 201,
 237, 277, 313, 345, 384.
Porosagrotis orthogonia, poisoned bait
 for, 201.
Porosagrotis orthogonia, var. *delorata*,
 38.
Porricondyla wellsii, n. sp., 227.
 Potato Beetle, 101.
 Prince Edward Island, Orthoptera
 from, 339.
Priconemis fortella, n. sp., 401.
 hesperus, n. sp., 401.
Priophorus acericaulis, 23.
Protagrotis nichollae, 8.
Pseudobrachysticha, n. gen., 233.
 semiaurea, n. sp.,
 233.
Pseudodidyma, n. gen., 287.
 pullula, n. sp., 288.
Pseudomphale hypatia, n. sp., 234.
Pseudotamila awemensis, 25.
Psithyrus consultus, 84.
 insularis, 84.
Psocaphora engelleta, 108.
 Psychomyidae, larval characters of, 220.
 Pteromalidae from Queensland, 45.
Pyrameis huntera, 305.
 Queensland, Chalcidoidea from, 17, 42.
Rancora solidaginis, 127.
 Ray and Willughby's system of classi-
 fication, 370.
Recurvaria dorsivittella, 103.

- Red Spider, an imported, attacking fruit-trees, 57.
- Rhachogaster*, n. gen., 291.
- " *hermodei*, n. sp., 291.
- Rhagoletis pomonella, a new parasite of, 293.
- Rhantus, Manitoba species of, 173.
- Rhizagrotis querula*, n. sp., 36.
- Rhyacophilidae, larval characters of, 218.
- ROHWER, S. A., article by, 97.
- ROWLEY, R. R., and BERRY, L., article by, 303.
- Samia columbica*, 303.
- " *gloweri*, 303.
- SANDERS, G. E., article by, 137, 183.
- Sand Plain, some inhabitants of, 24.
- San José scale, 348.
- Saskatchewania*, n. gen., 153.
- " *canadensis*, n. sp., 153.
- Scale insect eggs, rate of hatch of, 98.
- Schinia acutilinea*, 128.
- " *navarra*, 283.
- Schizura unicornis, 132.
- Scotogramma conjugata, 124.
- " *submarina*, 124.
- Semiphora elimata, 8.
- Sericostomatidae, larval characters of, 222.
- Setagrotis vernilis, 8.
- SIMMS, H. M., article by, 161.
- Siphoniscia, 246, 247, 254.
- " *arodromia*, 255.
- Siphonurus alternatus, 248.
- " *occidentalis*, 248.
- " *mirus*, 253.
- " table of species (adults), 247.
- " table of species (nymphs), 248.
- " *trianguldris*, n. sp., 250.
- Siphloplecton*, n. gen., 258.
- " *flexus*, 258.
- Sitones hispidulus, 70.
- SLADEN, F. W. L., article by, 84, 205, 213.
- Smerinthus ophthalmicus, 303.
- Smicronyx fulvus, 281.
- SMITH, H. E., article by, 153.
- SMULYAN, M. T., article by, 321.
- SPENCER, G. J., article by, 68.
- Spray injury to apple, 54.
- Stannodes blackmorei*, n. sp., 155.
- Staurophlebia reticulata*, copulatory position of, 392.
- " " habits of, 393.
- " " notes on, 387.
- " " *guatemalleca*, n. subsp., 391.
- " " *obscura*, n. subsp., 391.
- " " *reticulata*, 390.
- Stictiocephala festina, 72.
- Strawberry leaf petiole gall, 354.
- STRICKLAND, E. H., article by, 201.
- Sunflower insects, 280.
- SWAINE, J. M., article by, 355.
- Swammerdam's system of classification, 372.
- SWEET, L. W., article by, 9, 58, 64, 155.
- Sycoscaptella angela*, n. sp., 48.
- Symmetry of insects, 88.
- Syneda perplexa, 132.
- Syneta albida, 103.
- Syngrapha parilis, 131.
- Tabanus wrighti*, n. sp., 380.
- Tachinidae, a new Canadian genus of, 153.
- Tæniocampa oviduca, 125.
- Tenthredella cinctitibiis *abdominalis*, n. subsp., 324.
- " *lobata maculosa*, n. subsp., 324.
- " *macgillivrayi*, n. sp., 323.
- " *norloni*, n. sp., 321.
- " *rohweri*, n. n., 323.
- Tetranychus bimaculatus, 57.
- " *pilosus*, 57.
- Thecla calanus, 304.
- Theisoa constrictella, 107.
- Thomisidae, insects captured by, 115.
- Thrinchostoma assamensis*, n. sp., 214.
- " occurrence in India of, 213.
- " *sladeni*, 213.
- Tineina, life histories of N. America, 104.
- " new genera and species of, 188.
- Tipulidae, new Alberta, 329.
- " new exotic, 79.
- TOWNSEND, C. H. T., article by, 78, 285.
- Toxoptera graminum, 71.
- TREHERNE, R. C., article by, 101.
- Trichogrammatidae from Queensland, 17.
- Trichogrammatidae, new genus and species of, 233.

- Trichoptera of Japan, 90.
Trichopterous larvæ, key to families of, 217.
Trimerotropis agrestis, 29.
- Vallisneri's system of classification, 372.
Vanessa antiopa, 305.
- WALKER, E. M., articles by, 66, 135, 174, 197, 198, 235, 310, 312, 339, 386, 387, 407.
WALLIS, J. B., article by, 169.
Water beetles, some Manitoba, 169.
WEBSTER, F. M., articles by, 69, 406.
Weevil, Bronze Apple-tree, 103.
- WEISS, H. B., articles by, 22, 23, 88, 135, 136, 152, 166, 277, 308, 313, 326, 369.
White grubs, 349.
WILLIAMSON, E. B., article by, 393.
WINN, A. F., articles by, 31.
Wireworms, 349.
WOODS, W. C., article by, 293.
WOODWORTH, C. W., article by, 98.
- Xylina bethunei, carnivorous habits of, 183.
Xylomiges cognata, 123.
" pulchella, 123.
- Zaglyptonotus schwarzi, 282.